## PATENT COOPERATION TREATY

rom 1	he INATIONAL SEAF	RCHING AUTHO	DRITY		•	REC'D 23 M	AY 2005
To:					PC	VIPO	PCT
		•	. •			L	
	ana farm F	·		WR	ITTEN OPIN	IION OF TH	E
	see form F	PCT/ISA/220		INTERNATIONAL SEARCHING AUTHORITY			
				: :	(PCT Rule	43 <i>bis</i> .1)	
			·	Date of mailing (day/month/year)	see form PCT/IS/	A/210 (second she	et)
	cant's or agent's file			FOR FURTHE See paragraph 2 to			
International application No. International filing da PCT/IB2005/050407 31.01.2005			International filing date (	day/month/year)	Priority date (day/month/year) 10.02.2004		
Interi	national Patent Class	sification (IPC) or I	l both national classification	and IPC			-
A61	N1/39	•					
	cant					•	
KOI	NINKLIJKE PHIL	IPS ELECTRO	DNICS N.V.				
1.	This opinion co	ntains indication	ons relating to the fol	lowing items:			
	Box No. I	Basis of the op	inion				
	Box No. II		,				
	Box No. II	Priority	πent of opinion with reg	ard to novelty inve	entive step and in	ndustrial applica	bility
	Box No. IV	Lack of unity o		·	<b>5,,,,,,,</b>		•
	☐ Box No. V	Reasoned stat	tement under Rule 43bitations and explanation	is.1(a)(i) with regards	d to novelty, inve statement	entive step or inc	iustrial (
	☐ Box No. VI	Certain docum	ents cited		·		
	☐ Box No. VII	Certain defect	s in the international ap	plication		•	
	☑ Box No. VIII	Certain observ	ations on the internatio	nal application			
2.	FURTHER ACT	ION					٠
	If a demand for international preliminary examination is made, this opinion will usually be considered to be a written opinion of the International Preliminary Examining Authority ("IPEA"). However, this does not apply where the applicant chooses an Authority other than this one to be the IPEA and the chosen IPEA has notifed the International Bureau under Rule 66.1 bis(b) that written opinions of this International Searching Authority will not be so considered.			witere			
	cubmit to the IPI	EA a written rep date of mailing	ove, considered to be a ly together, where appr of Form PCT/ISA/220 o	coriate, with amen	dments, before t	ne expiration of	turee
	For further optio	ns, see Form P	CT/ISA/220.				
3.	For further detai	rther details, see notes to Form PCT/ISA/220.					
		4.1. 10.4		Authorized Office			

Name and mailing address of the ISA:



European Patent Office - P.B. 5818 Patentlaan 2 NL-2280 HV Rijswijk - Pays Bas Tel. +31 70 340 - 2040 Tx: 31 651 epo nl Fax: +31 70 340 - 3016

Loveniers, K

Telephone No. +31 70 340-8983



International application No. PCT/IB2005/050407

	Box	No. I	Basis of the opinion
1.	With the la	regar ingua	rd to the <b>language</b> , this opinion has been established on the basis of the international application in age in which it was filed, unless otherwise indicated under this item.
	la	angu	opinion has been established on the basis of a translation from the original language into the following age , which is the language of a translation furnished for the purposes of international search er Rules 12.3 and 23.1(b)).
2.	_With nece	regar ssary	rd to any nucleotide and/or amino acid sequence disclosed in the international application and to the claimed invention, this opinion has been established on the basis of:
	a. typ	e of	material:
		as	sequence listing
	. 🗖	tal	ble(s) related to the sequence listing
	b. for	mat o	of material:
		l in	written format
		l iņ	computer readable form
	c. tim	ne of	filing/furnishing:
		) co	ontained in the international application as filed.
		) file	ed together with the international application in computer readable form.
		) fu	rnished subsequently to this Authority for the purposes of search.
3	!	has b copie	Idition, in the case that more than one version or copy of a sequence listing and/or table relating thereto been filed or furnished, the required statements that the information in the subsequent or additional es is identical to that in the application as filed or does not go beyond the application as filed, as opriate, were furnished.
4	. Addi	tiona	Il comments:

International application No. PCT/IB2005/050407

Box No. V Reasoned statement under Rule 43bis.1(a)(i) with regard to novelty, inventive step or industrial applicability; citations and explanations supporting such statement

1. Statement

Novelty (N)

Yes: Claims

1-15, 17, 18

No: Claims

16

Inventive step (IS)

Yes: Claims

No: Claims

1-18

Industrial applicability (IA)

Yes: Claims

1-18

No: Claims

2. Citations and explanations

see separate sheet

Box No. VIII Certain observations on the international application

The following observations on the clarity of the claims, description, and drawings or on the question whether the claims are fully supported by the description, are made:

see separate sheet

#### Re Item V.

- 1 Reference is made to the following documents:
  - D1: US-A-5 662 690 (COLE ET AL) 2 September 1997 (1997-09-02)
  - D2: US 2003/055478 A1 (LYSTER THOMAS D ET AL) 20 March 2003 (2003-03-20)
  - D3: US 2003/216785 A1 (EDWARDS D. CRAIG ET AL) 20 November 2003 (2003-11-20)
  - D4: US-A-5 792 190 (OLSON ET AL) 11 August 1998 (1998-08-11)
  - D5: US 2003/028219 A1 (POWERS DANIEL J ET AL) 6 February 2003 (2003-02-06)
  - D6: US-A-5 993 219 (BISHAY ET AL) 30 November 1999 (1999-11-30)
  - D7: US 2002/143366 A1 (HERLEIKSON EARL CLARK) 3 October 2002 (2002-10-03)

### 2 INDEPENDENT CLAIM 1

- 2.1 The present application does not meet the criteria of Article 33(1) PCT, because the subject-matter of **claim 1** does not involve an inventive step in the sense of **Article 33(3) PCT**.
- The document D1 is regarded as being the closest prior art to the subject-matter of claim 1, and discloses (the references in parentheses applying to this document) (see fig. 2):

  An external defibrillator (130) selectably usable in one of a therapy mode and a training mode (see column 1, line 58), when in the training mode, having a plurality of training state notifications (see column 4, line 65 column 5, line 55), and adapted for electrical coupling with an electrode (140) arrangeable on a release liner, the electrode electrically conductive and configured for placement of a subject, comprising:
- an energy source (132);
- an electrode interface (138) responsive to the electrode;
- an energy delivery system (136) operable to selectively deliver electrical energy from the energy source to the electrode via the electrode interface;
- a state identifier, identifying, when the electrode is electrically coupled to the electrode interface (a state identifier is implicitly disclosed since different operational states are identified: checking of electrode attachment; of electrode operability; analysing; providing shock) (see column 4, line 65 column 5, line 55);
- a controller (134), operative in the training mode, prior to placement of the electrode on

International application No.

PCT/IB2005/050407

the subject, to advance the external defibrillator from a first training state to a second training state (see column 5, lines 9-35: 1st training state= checking attachment and operability of electrodes; 2nd training state= placing & analysing);

- a user interface (181, 182, 183, 184), operative in the training mode to issue a training state notification indicating that the external defibrillator has advanced from the first training state to the second training state (see column 5, lines 9-35).

The subject-matter of claim 1 therefore differs from this known external defibrillator in that the state identifier identifies a degree of electrical connectivity along an electrical path including the electrode, and that the advancement from the first training state to the second training state occurs when the state identifier identifies a predetermined degree of electrical conductivity along the electrical path.

The problem to be solved by the present invention may therefore be regarded as how to verify whether defibrillation electrodes are ready for use.

2.2 In view of D2 the solution proposed in claim 1 of the present application cannot be considered as involving an inventive step (Article 33(3) PCT) for the following reasons: D1 already discloses that, before the electrodes are placed on the subject, the connectivity and operability needs to be checked (see column 5, lines 9-22), without specifying how this test should be done.

D2 however discloses a test for checking the condition of electrodes of an external defibrillator (see par. 2), based on the impedance measured between two electrodes (see par. 27). The electrodes are considered to be inadequate when this impedance exceeds a predetermined value, and to be adequate otherwise (see par. 245).

Switching to another state depending on the electrical conductivity is thus known from D2. The skilled person would therefore regard it as a normal option to include this feature in the electrode test described in document D1 in order to solve the problem posed, thereby arriving at an external defibrillator according to claim 1.

### 3 INDEPENDENT CLAIM 15

Since the subject-matter of independent claim 15 corresponds to the subject-matter of claim

1, the same reasoning as given for claim 1 will apply *mutatis mutandis*. Therefore claim 15 is also not considered to meet the requirements of the PCT with respect to inventive step.

## 4 INDEPENDENT CLAIM 16

The present application does not meet the criteria of Article 33(1) PCT, because the subject-matter of claim 16 is not new in the sense of Article 33(2) PCT. Document D2 discloses (the references in parentheses applying to this document):

A method for performing defibrillator training (although the disclosed device is not explicitly specified to be a training device, it still can be used for training, e.g. on a mannequin) comprising the steps of:

- providing an automatic external defibrillator training device;
- providing a pair of training electrodes in electrical communication with said training device;
- sensing an impedance between said pair of training electrodes (see par. 27);
- advancing a training rescue based on said sensed impedance (see pars. 242-246).

## 5 DEPENDENT CLAIMS 2-14, 17, 18

Dependent claims 2-14, 17, 18 do not contain any features which, in combination with the features of any claim to which they refer, meet the requirements of the PCT in respect of inventive step (Article 33(3) PCT):

- claims 2, 17; see D2, par. 27;
- claims 3, 4: the problem of not removing the release liner from the electrodes is well known to the skilled person (see e.g. D3, par. 31, or fig. 12, step 250). D2 discloses a method to determine whether this liner is still on the electrodes (see par. 169, see claim 164). Therefore the skilled man would also implement this test when verifying the electrode attachment & operability in the device of D1.
- claim 5: see D1, column 5, lines 21, 22;
- claim 6: normal design option (see e.g. D3, par. 46, or D4, column 6, lines 20-25);
- claim 7: see D5, par. 30 and par. 73: the training cartridge sends other electrical signals which ensures that the processor will work in testing mode;
- claims 8, 9: see D2, pars. 158-169;
- claims 10, 11: normal design option (see e.g. D7, pars. 53-59);
- claim 12: see D1, column 13, lines 34-42;
- claim 13: see D1, column 1, lines 26-32;

International application No.

PCT/IB2005/050407

claims 14, 18: see D6, column 3, lines 42-66.

Re Item VIII.

Claim 4 does not seem to meet the requirements of Article 6 PCT in that the matter for which protection is sought is not clearly defined. The claim attempts to define the subject-matter in terms of the result to be achieved (verification whether electrode is removed from its package), which merely amounts to a statement of the underlying problem, without providing the technical features necessary for achieving this result.

## PATENT COOPERATION TREATY

From INTER	the RNATIONAL SEARCHING AUTHORITY		,	REC'D 23 MA	Y 2005
To:		]	PC	WIPO	PCT
				WIF	
		·			
	see form PCT/ISA/220		RITTEN OPIN		
	300 1011111 0111011220	INTERNAT	IONAL SEAR	CHING AUT	HORITY
			(PCT Rule 4	43 <i>bis</i> .1)	
	•				
		Date of mailing	see form PCT/ISA	210 (second sheet)	,
L		] (02)			
	cant's or agent's file reference	FOR FURTH			
see	form PCT/ISA/220	See paragraph 2			
i .	national application No. International filing date	(day/month/year)	Priority date 10.02.2004	(day/month/year) ^	
l	T/B2005/050407 31.01.2005	-	10.02.200	4	
1	national Patent Classification (IPC) or both national classification	n and IPC		_	
A61	N1/39		·		
Appl					
KOI	NINKLIJKE PHILIPS ELECTRONICS N.V.				
	<u> </u>				
1.	This opinion contains indications relating to the fo	llowing items:		•	
	☐ Box No. I Basis of the opinion		•		
	☐ Box No. II Priority				
	☐ Box No. III Non-establishment of opinion with re	gard to novelty, inv	entive step and in	idustrial applicabi	lity
	☐ Box No. IV Lack of unity of invention				
	⊠ Box No. V Reasoned statement under Rule 43b applicability; citations and explanatio	ois.1(a)(i) with regains supporting such	rd to novelty, inver statement	ntive step or indu	strial
	☐ Box No. VI Certain documents cited				
	☐ Box No. VII Certain defects in the international approximation of the control	• •			
1	⊠ Box No. VIII Certain observations on the internation	onal application	•		
2.	FURTHER ACTION				
	If a demand for international preliminary examination is made, this opinion will usually be considered to be a written opinion of the International Preliminary Examining Authority ("IPEA"). However, this does not apply where the applicant chooses an Authority other than this one to be the IPEA and the chosen IPEA has notifed the international Bureau under Rule 66.1 bis(b) that written opinions of this International Searching Authority will not be so considered.				
	If this opinion is, as provided above, considered to be a written opinion of the IPEA, the applicant is invited to submit to the IPEA a written reply together, where appropriate, with amendments, before the expiration of three months from the date of mailing of Form PCT/ISA/220 or before the expiration of 22 months from the priority date, whichever expires later.				
	For further options, see Form PCT/ISA/220.				
з.	For further details, see notes to Form PCT/ISA/220.				
	and mailing address of the ISA:	Authorized Offic			

Name and mailing address of the ISA



European Patent Office - P.B. 5818 Patentlaan 2 NL-2280 HV Rijswijk - Pays Bas Tel. +31 70 340 - 2040 Tx: 31 651 epo nl Fax: +31 70 340 - 3016 Authorized Officei

Loveniers, K

Telephone No. +31 70 340-8983



International application No. PCT/IB2005/050407

	Box N	o. I Basis of the opinion
1.	With r	egard to the language, this opinion has been established on the basis of the international application in Iguage in which it was filed, unless otherwise indicated under this item.
	la	nis opinion has been established on the basis of a translation from the original language into the following nguage , which is the language of a translation furnished for the purposes of international search inder Rules 12.3 and 23.1(b)).
2.	_With r	egard to any <b>nucleotide and/or amino acid sequence</b> disclosed in the international application and sary to the claimed invention, this opinion has been established on the basis of:
	a. typ	e of material:
		a sequence listing
		table(s) related to the sequence listing
	b. for	nat of material:
		in written format
		in computer readable form
	c. tim	e of filling/furnishing:
		contained in the international application as filed.
		filed together with the international application in computer readable form.
		furnished subsequently to this Authority for the purposes of search.
3	·	n addition, in the case that more than one version or copy of a sequence listing and/or table relating theret has been filed or furnished, the required statements that the information in the subsequent or additional copies is identical to that in the application as filed or does not go beyond the application as filed, as appropriate, were furnished.
4	. Addit	ional comments:

International application No. PCT/IB2005/050407

Box No. V Reasoned statement under Rule 43bis.1(a)(i) with regard to novelty, inventive step or industrial applicability; citations and explanations supporting such statement

1. Statement

Novelty (N)

Yes: Claims

1-15, 17, 18

No: Claims

16

Inventive step (IS)

Yes: Claims

lo: Claims

1-18

Industrial applicability (IA)

Yes: Claims

1-18

No: Claims

2. Citations and explanations

see separate sheet

Box No. VIII Certain observations on the international application

The following observations on the clarity of the claims, description, and drawings or on the question whether the claims are fully supported by the description, are made:

see separate sheet

### Re Item V.

- 1 Reference is made to the following documents:
  - D1: US-A-5 662 690 (COLE ET AL) 2 September 1997 (1997-09-02)
  - D2: US 2003/055478 A1 (LYSTER THOMAS D ET AL) 20 March 2003 (2003-03-20)
  - D3: US 2003/216785 A1 (EDWARDS D. CRAIG ET AL) 20 November 2003 (2003-11-20)
  - D4: US-A-5 792 190 (OLSON ET AL) 11 August 1998 (1998-08-11)
  - D5: US 2003/028219 A1 (POWERS DANIEL J ET AL) 6 February 2003 (2003-02-06)
  - D6: US-A-5 993 219 (BISHAY ET AL) 30 November 1999 (1999-11-30)
  - D7: US 2002/143366 A1 (HERLEIKSON EARL CLARK) 3 October 2002 (2002-10-03)

## 2 INDEPENDENT CLAIM 1

2.1 The present application does not meet the criteria of Article 33(1) PCT, because the subject-matter of **claim 1** does not involve an inventive step in the sense of **Article 33(3) PCT**.

The document D1 is regarded as being the closest prior art to the subject-matter of claim 1, and discloses (the references in parentheses applying to this document) (see fig. 2): An external defibrillator (130) selectably usable in one of a therapy mode and a training mode (see column 1, line 58), when in the training mode, having a plurality of training state notifications (see column 4, line 65 - column 5, line 55), and adapted for electrical coupling with an electrode (140) arrangeable on a release liner, the electrode electrically conductive and configured for placement of a subject, comprising:

- an energy source (132);
- an electrode interface (138) responsive to the electrode;
- an energy delivery system (136) operable to selectively deliver electrical energy from the energy source to the electrode via the electrode interface;
- a state identifier, identifying, when the electrode is electrically coupled to the electrode interface (a state identifier is implicitly disclosed since different operational states are identified: checking of electrode attachment; of electrode operability; analysing; providing shock) (see column 4, line 65 column 5, line 55);
- a controller (134), operative in the training mode, prior to placement of the electrode on

International application No.

PCT/IB2005/050407

the subject, to advance the external defibrillator from a first training state to a second training state (see column 5, lines 9-35: 1st training state= checking attachment and operability of electrodes; 2nd training state= placing & analysing);

- a user interface (181, 182, 183, 184), operative in the training mode to issue a training state notification indicating that the external defibrillator has advanced from the first training state to the second training state (see column 5, lines 9-35).

The subject-matter of claim 1 therefore differs from this known external defibrillator in that the state identifier identifies a degree of electrical connectivity along an electrical path including the electrode, and that the advancement from the first training state to the second training state occurs when the state identifier identifies a predetermined degree of electrical conductivity along the electrical path.

The problem to be solved by the present invention may therefore be regarded as how to verify whether defibrillation electrodes are ready for use.

2.2 In view of D2 the solution proposed in claim 1 of the present application cannot be considered as involving an inventive step (Article 33(3) PCT) for the following reasons: D1 already discloses that, before the electrodes are placed on the subject, the connectivity and operability needs to be checked (see column 5, lines 9-22), without specifying how this test should be done.

D2 however discloses a test for checking the condition of electrodes of an external defibrillator (see par. 2), based on the impedance measured between two electrodes (see par. 27). The electrodes are considered to be inadequate when this impedance exceeds a predetermined value, and to be adequate otherwise (see par. 245).

Switching to another state depending on the electrical conductivity is thus known from D2. The skilled person would therefore regard it as a normal option to include this feature in the electrode test described in document D1 in order to solve the problem posed, thereby arriving at an external defibrillator according to claim 1.

### 3 INDEPENDENT CLAIM 15

Since the subject-matter of independent claim 15 corresponds to the subject-matter of claim

1, the same reasoning as given for claim 1 will apply *mutatis mutandis*. Therefore claim 15 is also not considered to meet the requirements of the PCT with respect to inventive step.

## 4 INDEPENDENT CLAIM 16

The present application does not meet the criteria of Article 33(1) PCT, because the subject-matter of **claim 16** is not new in the sense of Article 33(2) PCT. Document D2 discloses (the references in parentheses applying to this document):

A method for performing defibrillator training (although the disclosed device is not explicitly specified to be a training device, it still can be used for training, e.g. on a mannequin) comprising the steps of:

- providing an automatic external defibrillator training device;
- providing a pair of training electrodes in electrical communication with said training device;
- sensing an impedance between said pair of training electrodes (see par. 27);
- advancing a training rescue based on said sensed impedance (see pars. 242-246).

## 5 DEPENDENT CLAIMS 2-14, 17, 18

Dependent claims 2-14, 17, 18 do not contain any features which, in combination with the features of any claim to which they refer, meet the requirements of the PCT in respect of inventive step (Article 33(3) PCT):

- claims 2, 17: see D2, par. 27;
- claims 3, 4: the problem of not removing the release liner from the electrodes is well known to the skilled person (see e.g. D3, par. 31, or fig. 12, step 250). D2 discloses a method to determine whether this liner is still on the electrodes (see par. 169, see claim 164). Therefore the skilled man would also implement this test when verifying the electrode attachment & operability in the device of D1.
- claim 5: see D1, column 5, lines 21, 22;
- claim 6: normal design option (see e.g. D3, par. 46, or D4, column 6, lines 20-25);
- claim 7: see D5, par. 30 and par. 73: the training cartridge sends other electrical signals which ensures that the processor will work in testing mode;
- claims 8, 9: see D2, pars. 158-169;
- claims 10, 11: normal design option (see e.g. D7, pars. 53-59);
- claim 12: see D1, column 13, lines 34-42;
- claim 13: see D1, column 1, lines 26-32;

International application No.

PCT/IB2005/050407

claims 14, 18: see D6, column 3, lines 42-66.

Re Item VIII.

Claim 4 does not seem to meet the requirements of Article 6 PCT in that the matter for which protection is sought is not clearly defined. The claim attempts to define the subject-matter in terms of the result to be achieved (verification whether electrode is removed from its package), which merely amounts to a statement of the underlying problem, without providing the technical features necessary for achieving this result.